



Powered By

 **gandhar**
oil refinery (india) ltd.



AUTOMOTIVE LUBRICANTS



ABOUT US

Texol Lubritech FZC is part of Gandhar Oil Refinery India Ltd. (GORIL) which is a 29 plus year-old group specialized in oil and petroleum products. The group has a turnover of USD 650 million and a staff strength of over 500 employees. GORIL has two manufacturing plants located at Taloja, Maharashtra & Silvassa (Union Territory) bordering the state of Gujarat in India.

Texol is the group's third plant founded in 2017 in UAE and operates a hybrid lube blending plant with an annual capacity of 200,000 MT.

Texol's product range includes high-performance Transformer Oils, White Oils, Heavy & Light Liquid Paraffin, Petroleum Jelly, Industrial & Automotive Lubricants, and Greases.

Texol markets its products globally through a network of authorized distributors in each country.





CONTENTS

01 Petrol Engine Oils 04

Fully Synthetic - Texol Ultra Max
Semi Synthetic - Texol Ultra S
Multigrade - Texol Ultra X
Monograde - Texol Ultra

02 Diesel Engine Oils 06

Fully Synthetic - Texol Super Duty Max
Semi Synthetic - Texol Super Duty S
Multigrade - Texol Super Duty Plus
Monograde - Texol Super Duty

03 Motorcycle Oils 08

4T Synthetic Oils
4T Mineral Oils
2 Stroke Outboard Oils

04 CNG Oils 09

05 Automatic Transmission Fluids 10

Synthetic
Mineral

06 Gear Oils 11

Synthetic
Multigrade
Monograde

07 Coolants 12

08 Brake Fluids 13

09 Greases 13



PETROL ENGINE OILS


FULLY SYNTHETIC - TEXOL ULTRA MAX

Texol® Fully Synthetic API approved petrol engine oils are energy-efficient motor oils, made with high quality hydro-cracked & hydro-treated base oils and additives with proven performance. The base oils provide excellent lubricity and oxidation resistance. It is designed for use in modern gasoline engines, passenger cars, SUVs, vans.

■ Texol Ultra Max Range :

- SAE 0W20 API SP
- SAE 0W30 API SP
- SAE 5W20 API SP
- SAE 5W30 API SP
- SAE 0W20 API SN
- SAE 0W30 API SN
- SAE 5W20 API SN
- SAE 5W30 API SN
- SAE 5W40 API SN

AVAILABLE PACKAGES




SEMI SYNTHETIC - TEXOL ULTRA S

Texol® Semi-Synthetic petrol engine oils are made with high quality solvent refined, hydro-cracked & catalytic de-waxed base oils. These base oils are blended with additives of proven performance. The base oils provide excellent lubricity and oxidation resistance. Texol® semi-synthetic engine oil meets the requirements of almost all the engines in passenger cars running on multiple fuels like Gasoline, Bio Diesel, Gasoline-ethanol Mix, LPG & NG.

■ Texol Ultra S Range :

- SAE 10W30 API SN
- SAE 10W40 API SN
- SAE 10W30 API SL
- SAE 10W40 API SL

AVAILABLE PACKAGES





PETROL ENGINE OILS

MULTIGRADE - TEXOL ULTRA X


Texol® Multigrade engine oils meets the requirements of almost all the engines in passenger cars running on multiple fuels like Gasoline, Gasoline-ethanol Mix up to E85, LPG & NG. It is mainly suited for turbo charged, multi valve and direct injection engines, based on OEM recommendation.

■ Texol Ultra X Range :

- SAE 20W50 API SN
- SAE 20W50 API SL
- SAE 20W50 API SJ
- SAE 20W50 API SF



AVAILABLE PACKAGES



MONOGRADE - TEXOL ULTRA

Texol® Monograde engine oils are recommended for use in petrol and naturally aspirated petrol engines fitted to passenger cars. It provides excellent start-up performance and engine efficiency.

■ Texol Ultra Range :

- SAE 40 API SL
- SAE 50 API SL
- SAE 40 API SF
- SAE 50 API SF
- SAE 40 API SC
- SAE 50 API SC



AVAILABLE PACKAGES





DIESEL ENGINE OILS

FULLY SYNTHETIC - TEXOL SUPER DUTY MAX


Texol® Fully-Synthetic heavy-duty multi-grade diesel engine oils for use in the latest generation of high-speed 4-stroke diesel engines; specifically formulated for on-highway and off-highway applications. It complies with the low emission law besides meeting the low SAPS requirement of the latest diesel trucks.

■ Texol Super Duty Max Range :

- SAE 10W30 API CK-4
- SAE 10W40 API CK-4



AVAILABLE PACKAGES



SEMI SYNTHETIC - TEXOL SUPER DUTY S


Texol® Semi-Synthetic diesel engine oils are recommended for use in 4-stroke diesel engines. They are formulated using high performance detergent, dispersant, wear control and anti-oxidant additives with high quality base oils.

■ Texol Super Duty S Range :

- SAE 10W30 API CK-4
- SAE 10W30 API CI-4
- SAE 10W40 API CK-4
- SAE 10W40 API CI-4



AVAILABLE PACKAGES





DIESEL ENGINE OILS


MULTIGRADE - TEXOL SUPER DUTY PLUS

Texol® Multigrade diesel engine oil is a high performance crank case oil for diesel engines. It provides excellent high temperature properties, thermal stability, low volatility and good load carrying properties. Used extensively in all diesel engines running on low and high Sulphur diesels.

■ Texol Super Duty Plus Range :

- SAE 15W40 API CK-4
- SAE 15W40 API CI-4
- SAE 20W50 API CI-4
- SAE 15W40 API CF-4
- SAE 20W50 API CF-4

AVAILABLE PACKAGES




MONOGRADE - TEXOL SUPER DUTY

Texol® Monograde diesel engine oil is a high performance crank case oil for diesel engines. They are formulated using high performance detergent, dispersant, wear control and anti-oxidant additives with high quality base oils. It provides excellent high temperature properties, thermal stability, low volatility and good load carrying properties.

■ Texol Super Duty Range :

- SAE 40 API CF
- SAE 50 API CF
- SAE 40 API CD
- SAE 50 API CD

AVAILABLE PACKAGES





MOTORCYCLE OILS


4T SYNTHETIC OILS

Texol® 4T Synthetic oils are formulated to meet the requirements of motorcycles running on 4 stroke engines. It is ideal for standard motorbikes. Texol MCO are designed with advanced additives and base stocks to deliver outstanding riding experience in 4-stroke MCO as recommended by OEM's.

■ Texol 4T Synthetic Range :

- SAE 10W30 API SN JASO MA2
- SAE 10W40 API SN JASO MA2
- SAE 10W30 API SL JASO MA2
- SAE 10W40 API SL JASO MA2

AVAILABLE PACKAGES



4T MINERAL OILS

Texol® 4T Mineral oil is a high quality engine oil meeting the requirements of almost all the engines in passenger cars and motorcycles running on 4 stroke engines.

■ Texol 4T Mineral Range :

- SAE 20W40 API SN JASO MA2
- SAE 20W50 API SN JASO MA2
- SAE 20W40 API SL JASO MA
- SAE 20W50 API SL JASO MA

AVAILABLE PACKAGES





OUTBOARD OILS


2 STROKE OUTBOARD OILS

Texol® 2 Stroke oil SAE 30 API TC-W3 is a two-stroke gasoline engine oil specially blended to meet the technical requirements of several two-stroke engine manufacturers

■ Texol Outboard Oil Range :

- OUTBOARD API TC-W3

AVAILABLE PACKAGES



CNG OILS


TEXOL CNG OILS

Texol® CNG multipurpose, multi-grade engine oils are made to meet Gasoline, Diesel and CNG engine requirements. These oils are also recommended for high-speed, four-stroke gasoline engines needing low ash content.

■ Texol CNG Range :

- SAE 20W50 API SL/CF
- SAE 20W50 API SG/CD

AVAILABLE PACKAGES





ATF (AUTOMOTIVE TRANSMISSION FLUIDS)


SYNTHETIC ATF

Texol® Synthetic ATF's are very high-performance automatic transmission fluids (ATF) designed to provide good performance in a wide variety of new types of transmissions in service and commercial vehicles. It is made using very highly refined base oils and additives.

■ Texol ATF Synthetic Range :

- ATF DEX VI
- ATF CVT
- DCT Fluid
- ATF T-4

AVAILABLE PACKAGES



MINERAL ATF

Texol® Mineral ATF's are designed to provide good performance in a wide variety of regular and commercial duty automatic transmissions and torque converters, including General Motors and Ford transmissions of earlier types.

■ Texol ATF Mineral Range :

- DEX III
- DEX II
- ATF TYPE A

AVAILABLE PACKAGES





GEAR OILS

SYNTHETIC GEAR OILS


Texol® Synthetic gear oils are blended from synthetic base oils and advanced additives. These additives provide protection from wear, rust and oxidation. The extreme pressure additives based on Sulphur and Phosphorus chemistry resist high shock loads.

■ Texol Synthetic Gear Oils Range :

- SAE 75W90 API GL-5



AVAILABLE PACKAGES



MULTIGRADE GEAR OILS

Texol® Multigrade gear oils are made using high quality paraffinic lube base stocks and carefully selected gear oil additives. These additives provide protection from wear, rust and oxidation.

■ Texol Multigrade Gear Oils Range :

- SAE 80W90 API GL-5
- SAE 85W140 API GL-5
- SAE 80W90 API GL-4
- SAE 85W140 API GL-4



AVAILABLE PACKAGES





GEAR OILS


MONOGRADE GEAR OILS

Texol® Monograde gear oils are made using high quality paraffinic lube base stocks and carefully selected Gear Oil additives. These additives provide protection from wear, rust and oxidation. The extreme pressure additives based on Sulphur and Phosphorous chemistry resist high and shock loads and are free from Lead.

■ Texol Monograde Gear Oils Range :

- SAE 90 API GL-5
- SAE 140 API GL-5
- SAE 90 API GL-4
- SAE 140 API GL-4
- SAE 90 API GL-1
- SAE 140 API GL-1

AVAILABLE PACKAGES



COOLANTS

COOLANTS

Texol® Coolants are formulated with special chemical additives to provide a high degree of protection against corrosion for the metal and alloy components in the cooling system with specific reference to aluminum. It is harmless to rubber and does not foam or clog radiators.

■ Texol Coolants Range :

- Texol Coolant 33%
- Texol Coolant 50%
- Texol Coolant 100%

AVAILABLE PACKAGES





BRAKE FLUIDS


BRAKE FLUIDS

Texol® Brake Fluid's are a high quality, non-mineral fluid based on glycols and glycol ethers. It is formulated using special purpose additives such as anti-rust, anti wear and seal swell agents. It is used in the braking system of any motor vehicle such as passenger car, trucks, bus or trailer.

■ Texol Brake Fluids Range :

- BRAKE FLUID DOT 3
- BRAKE FLUID DOT 4

AVAILABLE PACKAGES



GREASES


GREASES

Texol® Greases are made using Lithium 12 hydroxy stearate soap and extreme pressure additive. These Grease are a multi-purpose and extreme pressure grease formulated to provide extra protection against wear, rusting, water washout and provide excellent load carrying ability.

■ Texol Greases Range :

- Texol Lithium Grease MP2
- Texol Lithium Grease EP3
- Texol Lithium Grease MP3
- Texol Lithium Complex Grease EP2
- Texol Lithium Grease EP2
- Texol Lithium Complex Grease EP3

AVAILABLE PACKAGES





TEXOL LABORATORY

- Texol Laboratory is the heart of our plant.
- Covering an area of 3,200 sq.ft., our lab is one of the best laboratories in UAE.
- We have obtained ISO/IEC 17025 Accreditation for our laboratory.



TEXOL APPROVALS AND CREDENTIALS

TEXOL Plant is ISO 9001:2015, 14001:2015, 45001:2018 certified





CERTIFICATE

This is to Certify that the Management System of
TEXOL LUBRITECH FZC
 PO Box 50802, Plot 2B-12, Phase 1, Hamriyah Free Zone, Sharjah, UAE.

has been audited and found to comply with the requirements of:

ISO 22716:2007
(Cosmetics — Good Manufacturing Practices (GMP))

For the Scope of activities described below:

Manufacturing and Marketing of Lubricants, Transformer Oil, White Oil, Petroleum Jelly, Specialty Products and Greases.

Certificate No.: **AE99404U**

Date of initial registration: 22 September 2021
 Date of this Certificate: 11 November 2024
 Starts valid on or before: Certificate expiry: 21 September 2025
 Recertification Due: 23 August 2026

Validity of this certificate is subject to successful completion of surveillance audit on or before due date, or some surveillance audit not conducted by the auditor in which the certificate is suspended.

Director
 GONet

LMS Accredited Limited
 2010 The Quadrant, United Kingdom
 020 3000 0000
 020 3000 0000
 020 3000 0000
 020 3000 0000

API
ENGINE OIL

SCHEDULE A - LICENSE AGREEMENT

The parties hereto have entered into an Agreement between API and
TEXOL LUBRITECH FZC
 may be used through 31 Dec 2025 use as follows:

Licensee is authorized to display the API CERTIFIED logo on the following products:

BRAND NAME	SAE VISCOSITY	API SERVICE	CLASSIFICATION
TEXOL ULTRA MAX	5W-20	SN	Resource Controlling
TEXOL ULTRA MAX	5W-30	SN	
TEXOL ULTRA S	5W-30	SN	
TEXOL ULTRA S	5W-40	SN	
TEXOL ULTRA S	5W-50	SN	
TEXOL ULTRA S	5W-60	SN	
TEXOL ULTRA S	5W-70	SN	
TEXOL ULTRA S	5W-80	SN	
TEXOL ULTRA S	5W-90	SN	
TEXOL ULTRA S	5W-100	SN	
TEXOL ULTRA S	5W-110	SN	
TEXOL ULTRA S	5W-120	SN	
TEXOL ULTRA S	5W-130	SN	
TEXOL ULTRA S	5W-140	SN	
TEXOL ULTRA S	5W-150	SN	
TEXOL ULTRA S	5W-160	SN	
TEXOL ULTRA S	5W-170	SN	
TEXOL ULTRA S	5W-180	SN	
TEXOL ULTRA S	5W-190	SN	
TEXOL ULTRA S	5W-200	SN	
TEXOL ULTRA S	5W-210	SN	
TEXOL ULTRA S	5W-220	SN	
TEXOL ULTRA S	5W-230	SN	
TEXOL ULTRA S	5W-240	SN	
TEXOL ULTRA S	5W-250	SN	
TEXOL ULTRA S	5W-260	SN	
TEXOL ULTRA S	5W-270	SN	
TEXOL ULTRA S	5W-280	SN	
TEXOL ULTRA S	5W-290	SN	
TEXOL ULTRA S	5W-300	SN	
TEXOL ULTRA S	5W-310	SN	
TEXOL ULTRA S	5W-320	SN	
TEXOL ULTRA S	5W-330	SN	
TEXOL ULTRA S	5W-340	SN	
TEXOL ULTRA S	5W-350	SN	
TEXOL ULTRA S	5W-360	SN	
TEXOL ULTRA S	5W-370	SN	
TEXOL ULTRA S	5W-380	SN	
TEXOL ULTRA S	5W-390	SN	
TEXOL ULTRA S	5W-400	SN	
TEXOL ULTRA S	5W-410	SN	
TEXOL ULTRA S	5W-420	SN	
TEXOL ULTRA S	5W-430	SN	
TEXOL ULTRA S	5W-440	SN	
TEXOL ULTRA S	5W-450	SN	
TEXOL ULTRA S	5W-460	SN	
TEXOL ULTRA S	5W-470	SN	
TEXOL ULTRA S	5W-480	SN	
TEXOL ULTRA S	5W-490	SN	
TEXOL ULTRA S	5W-500	SN	
TEXOL ULTRA S	5W-510	SN	
TEXOL ULTRA S	5W-520	SN	
TEXOL ULTRA S	5W-530	SN	
TEXOL ULTRA S	5W-540	SN	
TEXOL ULTRA S	5W-550	SN	
TEXOL ULTRA S	5W-560	SN	
TEXOL ULTRA S	5W-570	SN	
TEXOL ULTRA S	5W-580	SN	
TEXOL ULTRA S	5W-590	SN	
TEXOL ULTRA S	5W-600	SN	
TEXOL ULTRA S	5W-610	SN	
TEXOL ULTRA S	5W-620	SN	
TEXOL ULTRA S	5W-630	SN	
TEXOL ULTRA S	5W-640	SN	
TEXOL ULTRA S	5W-650	SN	
TEXOL ULTRA S	5W-660	SN	
TEXOL ULTRA S	5W-670	SN	
TEXOL ULTRA S	5W-680	SN	
TEXOL ULTRA S	5W-690	SN	
TEXOL ULTRA S	5W-700	SN	
TEXOL ULTRA S	5W-710	SN	
TEXOL ULTRA S	5W-720	SN	
TEXOL ULTRA S	5W-730	SN	
TEXOL ULTRA S	5W-740	SN	
TEXOL ULTRA S	5W-750	SN	
TEXOL ULTRA S	5W-760	SN	
TEXOL ULTRA S	5W-770	SN	
TEXOL ULTRA S	5W-780	SN	
TEXOL ULTRA S	5W-790	SN	
TEXOL ULTRA S	5W-800	SN	
TEXOL ULTRA S	5W-810	SN	
TEXOL ULTRA S	5W-820	SN	
TEXOL ULTRA S	5W-830	SN	
TEXOL ULTRA S	5W-840	SN	
TEXOL ULTRA S	5W-850	SN	
TEXOL ULTRA S	5W-860	SN	
TEXOL ULTRA S	5W-870	SN	
TEXOL ULTRA S	5W-880	SN	
TEXOL ULTRA S	5W-890	SN	
TEXOL ULTRA S	5W-900	SN	
TEXOL ULTRA S	5W-910	SN	
TEXOL ULTRA S	5W-920	SN	
TEXOL ULTRA S	5W-930	SN	
TEXOL ULTRA S	5W-940	SN	
TEXOL ULTRA S	5W-950	SN	
TEXOL ULTRA S	5W-960	SN	
TEXOL ULTRA S	5W-970	SN	
TEXOL ULTRA S	5W-980	SN	
TEXOL ULTRA S	5W-990	SN	
TEXOL ULTRA S	5W-1000	SN	
TEXOL ULTRA S	5W-1010	SN	
TEXOL ULTRA S	5W-1020	SN	
TEXOL ULTRA S	5W-1030	SN	
TEXOL ULTRA S	5W-1040	SN	
TEXOL ULTRA S	5W-1050	SN	
TEXOL ULTRA S	5W-1060	SN	
TEXOL ULTRA S	5W-1070	SN	
TEXOL ULTRA S	5W-1080	SN	
TEXOL ULTRA S	5W-1090	SN	
TEXOL ULTRA S	5W-1100	SN	
TEXOL ULTRA S	5W-1110	SN	
TEXOL ULTRA S	5W-1120	SN	
TEXOL ULTRA S	5W-1130	SN	
TEXOL ULTRA S	5W-1140	SN	
TEXOL ULTRA S	5W-1150	SN	
TEXOL ULTRA S	5W-1160	SN	
TEXOL ULTRA S	5W-1170	SN	
TEXOL ULTRA S	5W-1180	SN	
TEXOL ULTRA S	5W-1190	SN	
TEXOL ULTRA S	5W-1200	SN	
TEXOL ULTRA S	5W-1210	SN	
TEXOL ULTRA S	5W-1220	SN	
TEXOL ULTRA S	5W-1230	SN	
TEXOL ULTRA S	5W-1240	SN	
TEXOL ULTRA S	5W-1250	SN	
TEXOL ULTRA S	5W-1260	SN	
TEXOL ULTRA S	5W-1270	SN	
TEXOL ULTRA S	5W-1280	SN	
TEXOL ULTRA S	5W-1290	SN	
TEXOL ULTRA S	5W-1300	SN	
TEXOL ULTRA S	5W-1310	SN	
TEXOL ULTRA S	5W-1320	SN	
TEXOL ULTRA S	5W-1330	SN	
TEXOL ULTRA S	5W-1340	SN	
TEXOL ULTRA S	5W-1350	SN	
TEXOL ULTRA S	5W-1360	SN	
TEXOL ULTRA S	5W-1370	SN	
TEXOL ULTRA S	5W-1380	SN	
TEXOL ULTRA S	5W-1390	SN	
TEXOL ULTRA S	5W-1400	SN	
TEXOL ULTRA S	5W-1410	SN	
TEXOL ULTRA S	5W-1420	SN	
TEXOL ULTRA S	5W-1430	SN	
TEXOL ULTRA S	5W-1440	SN	
TEXOL ULTRA S	5W-1450	SN	
TEXOL ULTRA S	5W-1460	SN	
TEXOL ULTRA S	5W-1470	SN	
TEXOL ULTRA S	5W-1480	SN	
TEXOL ULTRA S	5W-1490	SN	
TEXOL ULTRA S	5W-1500	SN	
TEXOL ULTRA S	5W-1510	SN	
TEXOL ULTRA S	5W-1520	SN	
TEXOL ULTRA S	5W-1530	SN	
TEXOL ULTRA S	5W-1540	SN	
TEXOL ULTRA S	5W-1550	SN	
TEXOL ULTRA S	5W-1560	SN	
TEXOL ULTRA S	5W-1570	SN	
TEXOL ULTRA S	5W-1580	SN	
TEXOL ULTRA S	5W-1590	SN	
TEXOL ULTRA S	5W-1600	SN	
TEXOL ULTRA S	5W-1610	SN	
TEXOL ULTRA S	5W-1620	SN	
TEXOL ULTRA S	5W-1630	SN	
TEXOL ULTRA S	5W-1640	SN	
TEXOL ULTRA S	5W-1650	SN	
TEXOL ULTRA S	5W-1660	SN	
TEXOL ULTRA S	5W-1670	SN	
TEXOL ULTRA S	5W-1680	SN	
TEXOL ULTRA S	5W-1690	SN	
TEXOL ULTRA S	5W-1700	SN	
TEXOL ULTRA S	5W-1710	SN	
TEXOL ULTRA S	5W-1720	SN	
TEXOL ULTRA S	5W-1730	SN	
TEXOL ULTRA S	5W-1740	SN	
TEXOL ULTRA S	5W-1750	SN	
TEXOL ULTRA S	5W-1760	SN	
TEXOL ULTRA S	5W-1770	SN	
TEXOL ULTRA S	5W-1780	SN	
TEXOL ULTRA S	5W-1790	SN	
TEXOL ULTRA S	5W-1800	SN	
TEXOL ULTRA S	5W-1810	SN	
TEXOL ULTRA S	5W-1820	SN	
TEXOL ULTRA S	5W-1830	SN	
TEXOL ULTRA S	5W-1840	SN	
TEXOL ULTRA S	5W-1850	SN	
TEXOL ULTRA S	5W-1860	SN	
TEXOL ULTRA S	5W-1870	SN	
TEXOL ULTRA S	5W-1880	SN	
TEXOL ULTRA S	5W-1890	SN	
TEXOL ULTRA S	5W-1900	SN	
TEXOL ULTRA S	5W-1910	SN	
TEXOL ULTRA S	5W-1920	SN	
TEXOL ULTRA S	5W-1930	SN	
TEXOL ULTRA S	5W-1940	SN	
TEXOL ULTRA S	5W-1950	SN	
TEXOL ULTRA S	5W-1960	SN	
TEXOL ULTRA S	5W-1970	SN	
TEXOL ULTRA S	5W-1980	SN	
TEXOL ULTRA S	5W-1990	SN	
TEXOL ULTRA S	5W-2000	SN	
TEXOL ULTRA S	5W-2010	SN	
TEXOL ULTRA S	5W-2020	SN	
TEXOL ULTRA S	5W-2030	SN	
TEXOL ULTRA S	5W-2040	SN	
TEXOL ULTRA S	5W-2050	SN	
TEXOL ULTRA S	5W-2060	SN	
TEXOL ULTRA S	5W-2070	SN	
TEXOL ULTRA S	5W-2080	SN	
TEXOL ULTRA S	5W-2090	SN	
TEXOL ULTRA S	5W-2100	SN	
TEXOL ULTRA S	5W-2110	SN	
TEXOL ULTRA S	5W-2120	SN	
TEXOL ULTRA S	5W-2130	SN	
TEXOL ULTRA S	5W-2140	SN	
TEXOL ULTRA S	5W-2150	SN	
TEXOL ULTRA S	5W-2160	SN	
TEXOL ULTRA S	5W-2170	SN	
TEXOL ULTRA S	5W-2180	SN	
TEXOL ULTRA S	5W-2190	SN	
TEXOL ULTRA S	5W-2200	SN	
TEXOL ULTRA S	5W-2210	SN	
TEXOL ULTRA S	5W-2220	SN	
TEXOL ULTRA S	5W-2230	SN	
TEXOL ULTRA S	5W-2240	SN	
TEXOL ULTRA S	5W-2250	SN	
TEXOL ULTRA S	5W-2260	SN	
TEXOL ULTRA S	5W-2270	SN	
TEXOL ULTRA S	5W-2280	SN	
TEXOL ULTRA S	5W-2290	SN	
TEXOL ULTRA S	5W-2300	SN	
TEXOL ULTRA S	5W-2310	SN	
TEXOL ULTRA S	5W-2320	SN	
TEXOL ULTRA S	5W-2330	SN	
TEXOL ULTRA S	5W-2340	SN	
TEXOL ULTRA S	5W-2350	SN	
TEXOL ULTRA S	5W-2360	SN	
TEXOL ULTRA S	5W-2370	SN	
TEXOL ULTRA S	5W-2380	SN	
TEXOL ULTRA S	5W-2390	SN	
TEXOL ULTRA S	5W-2400	SN	
TEXOL ULTRA S	5W-2410	SN	
TEXOL ULTRA S	5W-2420	SN	
TEXOL ULTRA S	5W-2430	SN	
TEXOL ULTRA S	5W-2440	SN	
TEXOL ULTRA S	5W-2450	SN	
TEXOL ULTRA S	5W-2460	SN	
TEXOL ULTRA S	5W-2470	SN	
TEXOL ULTRA S	5W-2480	SN	
TEXOL ULTRA S	5W-2490	SN	
TEXOL ULTRA S	5W-2500	SN	
TEXOL ULTRA S	5W-2510	SN	
TEXOL ULTRA S	5W-2520	SN	
TEXOL ULTRA S	5W-2530	SN	
TEXOL ULTRA S	5W-2540	SN	
TEXOL ULTRA S	5W-2550	SN	
TEXOL ULTRA S	5W-2560	SN	
TEXOL ULTRA S	5W-2570	SN	
TEXOL ULTRA S	5W-2580	SN	
TEXOL ULTRA S	5W-2590	SN	
TEXOL ULTRA S	5W-2600	SN	
TEXOL ULTRA S	5W-2610	SN	
TEXOL ULTRA S	5W-2620	SN	
TEXOL ULTRA S	5W-2630	SN	
TEXOL ULTRA S	5W-2640	SN	
TEXOL ULTRA S	5W-2650	SN	
TEXOL ULTRA S	5W-2660	SN	
TEXOL ULTRA S	5W-2670	SN	
TEXOL ULTRA S	5W-2680	SN	
TEXOL ULTRA S	5W-2690	SN	
TEXOL ULTRA S	5W-2700	SN	
TEXOL ULTRA S	5W-2710	SN	
TEXOL ULTRA S	5W-2720	SN	
TEXOL ULTRA S	5W-2730	SN	
TEXOL ULTRA S			



+971 6 512 3000



sales@texollubritech.com



www.texollubritech.com

Address: P.O.Box 50802, Hamriyah Free Zone, Phase 1, Sharjah, UAE